

Plan Reading Basics and Related Issues

Prepared

By

Asian Contractor Association

George C. Chang, P.E., Ph.D.

July 2014

Plan Reading Basics and Related Issues

1. INTRODUCTION

Construction plan is an essential element of a construction project. Engineers or architects prepare construction plans that include drawings, and writings and/or specifications. These plans are subject to the approval of a local authority to obtain a permit for construction. Builders or constructors read the plans, estimate the cost for construction, and bid on the project. In addition, the constructors have to follow the plans to build. In this connection, plan reading capability plays an important role in obtaining and conduct a construction project.

The purpose of this paper is to demonstrate a method in reading construction plans. The specific objectives of this paper are listed below:

- (1) Describe the process of a construction project.
- (2) Classify the contents of plans for a construction project.
- (3) Specify the requirements of equipment and knowledge in plan reading.
- (4) Provide a method on how to read a construction plan.
- (5) Explain how to estimate the cost of construction and its relation with engineering.

2. THE PROCESS OF A CONSTRUCTION PROJECT

A construction project begins with development assessment and ends at the completion of the final inspection. The process can be shown below (Reference 1):

- Owner for a construction project should generally conduct development assessment. The assessment is a planning element that evaluates the feasibility, potential issues, fee estimates, and other requirements for the project.
- Zoning review is part of the assessment or the construction process, which may impact the development in several ways such as traffic, land use, and environmental conditions.
- Following development assessment, owner select architect and/or engineer for the construction project, based on their qualifications.
- Architect and/or engineer prepare construction plans and engineering report for the project. These documents are also distributed to the offices of various development service providers.

- Contractor or constructor must be able to read these documents in order to estimate the cost of the construction, and in turn, to bid on the project. Owner select a prime constructor based on the quote of the price, and sometimes also on the value or quality of the bid.
- The prime constructor may recruit subs for part of the construction. The subcontractor will have to read that part of the construction plan. All contractors must conduct work according to project schedule in order to finish the construction on time.
- Value engineering plays an important role in a construction project. Value engineering refers to the tasks of construction plans and construction management. It is to achieve a maximum value for the construction while the cost for construction is minimized.

3. CONSTRUCTION PLANS

The technical documents for a construction project are construction plans and engineering report. For plan reading, the contractor has to understand that the construction plans consist of many elements, as listed below (Reference 2);

(1) Zoning Plan is to identify the characteristics of land for development, its appropriateness, complying with the development requirements, and its impacts on traffic and environment.

(2) Site Plan may include subdivision layout and site design. It shows many site characteristics including, but not limited to, street, utilities, grading, drainage, flood plain, trees/vegetation, and environmental controls.

(3) Structure Plan includes, depending on the types of development, buildings, facilities, various types of infrastructures, etc. Structure Plan has a general layout or sketch and the detailed drawings that take time and experience to read.

(4) MPE Plans refers to Mechanical, Plumbing, and Electrical plans. Mechanical plans usually consist of mechanical equipment and their relations to electrical sources. Air condition and heating systems, ventilation facilities, and safety equipment are examples of mechanical plans. Plumbing plans are water supply and wastewater systems sketches. They generally have plan layouts, and elevation views to show ventilation and relative locations. Electrical plans show power source and electrical circuits. Electrical drawing is in accordance with electrical loading calculations. It also has elevation plans to show power source locations.

(5) There may be other drawings to be included in the above-described plans, such as commercial signs, traffic routes and barricades, fire safety equipment, waste disposal sites, underground tanks, etc.

4. KEY ELEMENTS FOR PLAN READING

There are some elements that plan readers should understand in order to read construction plans in a better fashion. The construction plans are organized that readers can easily locate a portion of the plan and can better understand the plans. Following provides a description of these elements:

(1) Organization of construction plans:

- Each sheet of the construction plans are labeled with, on one edge of the cover sheet, the specific information about the project. This information generally includes the name of the engineering or architectural firm and its contact information; the seal of the registered engineer or architect from this firm; the name of the job and/or project; the project number, and the date of drawing.
- Each sheet is also assigned a page number. If the category of the construction plans is simple and there are several pages, e.g., eight (8) pages, the page number can be arranged as “1 of 8,” “2 of 8,” -----, and “8 of 8.” Otherwise, the assignment of page number could be more complicate. For a set of plans that there are several categories and each category has some sub-categories, such as site, building, and MPE plans, then a “letter” is placed in front of the numbers for each page. For example, a mechanical plan may have 2 sub-category plans totaling of four (4) sheets, they may be marked as M1-1, M1-2, M2-1, and M2-2. In general, a table is tabulated on the cover sheet, which shows the sheet or page number and the corresponding description for this page.
- Each sheet represents one part or the entire portion of a specific plan. The drawing for the specific plan or for even one sheet of the plan may not be sufficient to identify the required construction. Plan reader has to review the general or specific notes on each or some sheets of the construction plan. These notes specify the additional requirements, and the code or rule of the permitting authority.
- The relative direction for the subjects on a drawing sheet is usually identified by an arrow pointing to the north. This “arrow” is an essential element for some drawing sheets of the construction plan.

(2) Scale of the Drawing

Scale ruler is an important tool in plan reading. The actual size of the subject such as a building, a road, or a construction site is usually too large to be drawn on a drafting paper. Engineer or architect identifies a large subject using so called “scales.”

Engineer demonstrates scales as 1-inch = n-feet, or $1'' = n'$. For example, $1'' = 4'$ means 1-inch length on the drawing represents 4-feet length for the actual subject. For the same token, $1'' = 20'$ means 1' measurement representing a length of 20'. Architect expresses scale in a little different way, but the result is similar. For example, the scale of $1'' = 4''$ is written as 1/4-inch =

1-foot and zero-inch ($1/4" = 1'-0"$). A scale ruler has marks of different series. Each series consists of a number of units in inches or centimeters.

One unit or its sub-unit is always divided into ten (10) parts. A plan reader can measure any length on the drawing using a scale ruler, with an adequate accuracy.

(3) Legend

Legend generally consists of "lines" and "symbols," which are used for drawing, measuring, identifying, and describing objects on the construction plans. Although many "lines" and "symbols" adopted for construction plans follow the same standard, they could be different from one set of drawings to another. A plan reader should review the "legend" being used for any specific plan.

(4) Schedule of Building Components

A schedule for construction plans is an organized method to present information concerning some building components, as specified by Kubba (Reference 3). The schedule is generally a tabulation that lists information for specific group of some components. There are many ways to set up a schedule or table. For a door schedule, for example, it provides information of product name, model number, quantity, dimension, material, and color.

Schedule is a convenient way to identify information in the construction plan. It shows the detailed information of an equipment system, or provides the characteristics of each unit for a specific group of items. Many different items or features may be described in schedules, such as doors, windows, columns, beams, light fixtures or equipment, plumbing and mechanical equipment, interior finish, HVAC schedules, etc. It's easy for a plan reader to identify the quantity, dimensions, and features of the same products of items. In turn, it's convenient for a contractor to conduct cost estimates for a project.

(5) Calculations

Except layouts, plans, schedules, legend, there may be calculations for a set of construction plan. Calculations for MEP plans are generally necessary. For a mechanical plan, ventilation system is generally an essential part of the plan. An exhaust air calculation is necessary. The essential part of an electrical plan is the load calculation. Load is electrical power, which is the "voltage" multiplying by the "current." The total load or current capacity requirement for a facility must be carefully evaluated. This calculation takes into consideration of power source and the electricity needed for all electrical equipment. As to plumbing, both gas and water require calculations. The size of pipes and equipment should be evaluated by calculation.

A plan reader should generally understand these calculations in order to determine the needs of some important MEP equipment. In turn, the estimator can evaluate the over cost of the MEP installation.

5. PLAN VIEWS

There is a sequence of plans for a construction project, as described in Section 3. These plans for different projects such as building, water facility, street or highway, wastewater collection system, etc. are also different. Nevertheless, the types of plan views are generally uniform for different drawing sheets. According to French, etc. (Reference 4), it lists orthographic drawing, auxiliary view, cross section view, and pictorial or three dimensional sketches. It also presents standard “lines” and “symbols” used for technical drawing.

This paper covers orthographic, auxiliary, and cross sectional views, as well as the explanation of standard “lines” used for drawing these views. This presentation may be useful in assisting local contractors on how to read plans and bidding on construction projects.

(1) Orthographic View

This view of plan is a three-view drawing as specified by Olivo, etc. (Reference 5). The drawing has three views, i.e., front view, top view, and side view, to describe an object. Each view is a perpendicular projection of the corresponding surface of this object. For example, top view is the perpendicular projection of its top surface.

An orthographic view may not be able to represent, or clearly represent, an object when the shape of the object is irregular or more complicate. In this connection, more project plans or other type of drawings should take place. Figure 1 of the next page shows the projections of an orthographic view. Figure 2 is a completed plan of orthographic view. This plan is composed of different lines, which draw the object in three views. Table 1 of the next page provides an explanation of all lines that constitutes the object and its dimensions.

Table 1

Lines used in a Plan Drawing

Line ID	Name of Line	Description
A	Object line	Thicker line; represents shape & boundary of the object
B	Hidden line	Dotted line; inside the object being hidden or invisible
C	Center line	Thin, broken line of long & short dashes, alternately spaced
D	Extension line	Thin line for presenting dimension of any side of an object
E	Dimension line	Thin line broken at the "length" mark and ending at two sides with arrowheads
F	Cutting plane line*	Thick, broken line with one long & two short dashes, spaced alternatively; two arrows identify the direction that the section is drawn

* Cutting plane line is shown in Figure 4.




Figure 1. The pictorial view of an object and its orthographic or perpendicular projections





Figure 2. Orthographic view and line types of plan drawing

(2) Auxiliary View

In the orthographic drawing, the object for drawing is regular. One of the three views of the object is regularly projected to the other two views. In other words, any one side of a view is either parallel or perpendicular to any one side of the other two views. Therefore the object can be clearly expressed. In some cases, the object is irregular. Its orthographic view cannot adequately identify the object.

As shown in Figure 3, an auxiliary view has to be drawn to clearly identify the object. In Figure 3, any side of the auxiliary view is either parallel to or perpendicular to line AB, or the top side of the object's side view. The height of the auxiliary view is equal to the length of AB. The width of the auxiliary view is equal to CD, the width of the object's front view. The diameter of the hole on auxiliary view is equal to the longer axis of the oval type hole on the front view.

(3) Sectional View

In addition to orthographic and auxiliary views, plan reader should understand sectional view which is important in many cases. Frequently, it's difficult to show an object when the other views present too many hidden lines. To see an interior section, a reader has to imagine to cut a portion or the cross section of the object. This appearance of the interior section is a sectional view. The plane cut can have different types, mainly a full section or a partial section.

Figure 4 provides an example of a section view, which is the result of an imaginary cut. A "cutting plan line" is composed of thick, long dashes of equal length. This line cut through to show the cross section of a small earth dam. The cross section is identified by the letters A-A. The two arrows indicate the direction in which the section is taken.

A cross section is to show the details of the interior portion. As shown in Figure 4, this section provides a detailed view of an earth dam. It shows the crest, the core, the trench, the foundation, the embankments, and the seepage drain of the earth dam..




Figure 3. Auxiliary view for plan drawing




Figure 4. Sectional view of plan for an earth dam

(6) Cost estimates and Value Engineering (Reference 6)

In general, a contractor has to read construction plan and engineering report to decide whether to bid on a project. Plan reading provides information listed below:

- Types and scheduling of construction.
- Dimensions or measurements of objects in the construction plan.
- Quantity of objects to be constructed.
- Specifications and/or requirements for the construction.
- Degree of difficulty pertaining to the construction.

By obtaining the above information, the contractor can evaluate project cost by knowing the costs of materials, equipment, and labor. In addition, it's necessary to know the prices of bonding, insurance, and overhead costs such as site visits, bid preparation, and desired profit. Sometimes hiring subcontractors may save some insurance and labor costs. Cost comparisons with similar jobs of the past can play an important role too.

Job quality is another important factor, especially when quality value is part of the bid. In this connection, value engineering is an important element in cost estimation. The meaning of value engineering is to achieve a maximum quality value for a specific expenditure in a project. The quality of materials, the selection of labor or subcontractors, the construction schedule, and the tolerance of measurements are all associated with the cost estimation.

Details of cost estimate may be further described by ACA in a later publication.

REFERENCES

1. Asian Contractor Association. "Brief for Contractors - Business, Procurement, and Technical Information," Prepared by G. C. Chang, October 2010.
2. City of Austin. Permitting Documents for Project Development, Prepared by Planning and Development Department, May 2014.
3. Kubba, S. A. A. "Blueprint Reading: Construction Drawings for the Building Trades, Published The McGraw-Hill Companies, Inc., New York, 2009.
4. French, T. E., etc. "Engineering Drawing and Graphic Technology," Published by McGraw-Hill Inc., New York, last printing 1993 (1972, 1978, 1986, 1993).
5. Olivo, C. T., etc. "Introduction to Blue Print Reading and Sketching," Published by Van Nostrand Reinhold Company, New York, 1983.
6. Ding, A. "Construction Estimating," Published by Delmar Cengage Learning. Printed in Canada, 2010.